



# PMH-S-600

## HDPE Special Affiliated Sealant

### Product Description

PMH-S-600 is a single component moisture curing silane-modified polyether (Modified Silicon) sealant. It is non-toxic and odourless. It is free of solvent, formaldehyde and toluene. The product is applicable to most substrates and no surface pretreatment is required. The cured product has excellent weather resistance.

### Application Areas

It is used as a mechanical seal to prevent fluids and other substances from passing through surfaces and mechanical joints.

### Typical Properties

Description	Typical Values
Volatile Organic Compound (VOC)	≤ 50
Surface Drying Time	1 –24 hours
Elongation	63%

### Packing and Specifications

Item	Description
Color	White
Packaging	600ml Sausage (Aluminium Packing)

### Transportation and Storage

- Store in a dry and cool place to avoid exposure.
- Isolate with ignition source and to keep away from heat source.
- Storage temperature 5–30°C .

# PMH-S-600

## HDPE Special Affiliated Sealant

### Application Method

- Ensure that the substrate is free from dust and stains.
- Open the flexible packed sealant and place it in the sealant gun.
- Align with the construction position to extrude the sealant.

BEIJING ORIENTAL YUHONG WATERPROOF TECHNOLOGY CO.,LTD.  
[Http://www.yuhong.com.cn](http://www.yuhong.com.cn)

### Precautions

- Read the product label and Material Safety Data Sheet (MSDS) before using it. Users should acquaint themselves with all risks & safety regulations. Conform to manufacturer's recommendations, material handling and storage specifications.
- Protect all materials from extreme temperature.
- To prevent work interruption, it is important to have all the necessary tools and equipment on the job-site when you begin.

### Product Liability

The above information and suggestions are based on our experience and are for reference only. Since Oriental Yuhong Company and its dealers cannot control the storage and handling conditions after delivery, Oriental Yuhong shall not be liable for any quality issues caused by improper use. No technical information shall be provided to any third parties without manufacturer's consent.